

Chinese Optics Letters

Volume 16
Number 2
February 10, 2018
col.opticsx.org

Special issue on photonics based on 2D noncarbon materials

Editorial for special issue on photonics based on two-dimensional noncarbon materials		020001
Highly responsive broadband black phosphorus photodetectors	<i>Yan Liu, Tian Sun, Weiliang Ma, Wenzhi Yu, Shivananju B. Nanjunda, Shaojuan Li, and Qiaoliang Bao</i>	020002
All-optical modulator based on MoS ₂ -PVA thin film	<i>Yifang Wang, Kan Wu, and Jianping Chen</i>	020003
2D noncarbon materials-based nonlinear optical devices for ultrafast photonics [Invited]	<i>Bo Guo</i>	020004
Passively <i>Q</i> -switched green laser operation using CdTe/CdS quantum dots [Invited]	<i>Xigun Yan, Saiyu Luo, Bin Xu, Huiying Xu, Zhiping Cai, Jingzhou Li, Hongxing Dong, Long Zhang, and Zhengqian Luo</i>	020005
Layer-number determination of two-dimensional materials by optical characterization	<i>You Zheng, Changyong Lan, Zhifei Zhou, Xiaoying Hu, Tianying He, and Chun Li</i>	020006
High-power MoTe ₂ -based passively <i>Q</i> -switched erbium-doped fiber laser	<i>Mengli Liu, Wenjun Liu, Peiguang Yan, Shaobo Fang, Hao Teng, and Zhiyi Wei</i>	020007
Coexistence of bound soliton and harmonic mode-locking soliton in an ultrafast fiber laser based on MoS ₂ -deposited microfiber photonic device	<i>Meng Liu, Aiping Luo, Wencheng Xu, and Zhichao Luo</i>	020008
Passive <i>Q</i> -switching in an erbium-doped fiber laser using tungsten sulphoselenide as a saturable absorber	<i>H. Ahmad, Z. C. Tiu, and S. I. Ooi</i>	020009
High-power all-fiber 1.0/1.5 μm dual-band pulsed MOPA source	<i>Xiaogang Ge, Jun Yu, Weiqi Liu, Shuangchen Ruan, Chunyu Guo, Yewang Chen, Peiguang Yan, and Ping Hua</i>	020010
516 mW, nanosecond Nd:LuAG laser <i>Q</i> -switched by gold nanorods	<i>Guangju Zhang, Tinghao Liu, Yijie Shen, Chujun Zhao, Bin Huang, Zhe Kang, Guanshi Qin, Qiang Liu, and Xing Fu</i>	020011
Graphene/MoS ₂ heterostructure: a robust mid-infrared optical modulator for Er ³⁺ -doped ZBLAN fiber laser	<i>Pinghua Tang, Yue Tao, Yuliang Mao, Man Wu, Zongyu Huang, Shengnan Liang, Xinhang Chen, Xiang Qi, Bin Huang, Jun Liu, and Chujun Zhao</i>	020012

Contents continued

Graphene oxide for diode-pumped Tm:YLF passively Q -switched laser at 2 μm	<i>Yuqian Zu, Cheng Zhang, Yongjing Wu, Jingjing Liu, Jie Liu, and Yonggang Wang</i>	020013
Tunable passively Q -switched ytterbium-doped fiber laser with mechanically exfoliated GaSe saturable absorber	<i>H. Ahmad, S. N. Aidit, S. I. Ooi, and Z. C. Tiu</i>	020014
Silver nanorods absorber for passively Q -switched Nd,Gd:CaF ₂ laser	<i>Yongjing Wu, Siyuan Pang, Yuqian Zu, Qianqian Peng, Jimin Yang, Jie Liu, and Liangbi Su</i>	020015
Dual-wavelength Bi ₂ Se ₃ -based passively Q -switching Nd ³⁺ -doped glass all-fiber laser	<i>Xiaofeng Rong, Saiyu Luo, Wensong Li, Shuisen Jiang, Xigun Yan, Xiaofeng Guan, Zhiyong Zhou, Bin Xu, Nan Chen, Degui Wang, Huiying Xu, and Zhiping Cai</i>	020016
Passively Q -switched ytterbium-doped fiber laser using the evanescent field interaction with bulk-like WTe ₂ particles	<i>Seunghwan Ko, Jinho Lee, and Ju Han Lee</i>	020017
Enhanced saturable absorption of MoS ₂ black phosphorus composite in 2 μm passively Q -switched Tm: YAP laser	<i>Yang Xue, Zhenda Xie, Zhilin Ye, Xiaopeng Hu, Jinlong Xu, and Han Zhang</i>	020018
Passively harmonic mode-locked erbium-doped fiber laser at a 580 MHz repetition rate based on carbon nanotubes film	<i>Qianqian Huang, Tianxing Wang, Chuanhang Zou, Mohammed AlAraini, Aleksey Rozhin, and Chengbo Mou</i>	020019
2 μm mode-locking laser performances of sol-gel-fabricated large-core Tm-doped silica fiber	<i>Yan Ren, Zhipeng Qin, Guoqiang Xie, Zhen Qiao, Ting Hai, Peng Yuan, Jingui Ma, Liejia Qian, Shikai Wang, Chunlei Yu, and Lili Hu</i>	020020