

# HIGH POWER LASER

SCIENCE AND  
ENGINEERING

Volume 7

Number 4

December 2019

|  |   |     |
|--|---|-----|
| Monoenergetic proton beam accelerated by single reflection mechanism only during hole-boring stage—<br>ERRATUM   | <i>Wenpeng Wang, Cheng Jiang,<br/>Shasha Li, Hao Dong, Baifei Shen,<br/>Yuxin Leng, Ruxin Li, and Zhizhan Xu</i>  | e57 |
| Burst behavior due to the quasimode excited by stimulated Brillouin scattering in high-intensity laser-plasma interactions   | <i>Q. S. Feng, L. H. Cao, Z. J. Liu,<br/>C. Y. Zheng, and X. T. He</i>  | e58 |
| Deep-learning-based phase control method for tiled aperture coherent beam combining systems [On the Cover]   | <i>Tianyue Hou, Yi An, Qi Chang,<br/>Pengfei Ma, Jun Li, Dong Zhi,<br/>Liangjin Huang, Rongtao Su,<br/>Jian Wu, Yanxing Ma, and Pu Zhou</i>   | e59 |
| A 2D scintillator-based proton detector for high repetition rate experiments [Editors' Pick]   | <i>M. Huault, D. De Luis,<br/>J. I. Apinániz, M. De Marco,<br/>C. Salgado, N. Gordillo,<br/>C. Gutiérrez Neira,<br/>J. A. Pérez-Hernández,<br/>R. Fedosejevs, G. Gatti,<br/>L. Roso, and L. Volpe</i> | e60 |
| Toward 5.2 $\mu\text{m}$ terawatt few-cycle pulses via optical parametric chirped-pulse amplification with oxide $\text{La}_3\text{Ga}_{5.5}\text{Nb}_{0.5}\text{O}_{14}$ crystals [Editors' Pick] | <i>Jinsheng Liu, Jingui Ma,<br/>Jing Wang, Peng Yuan,<br/>Guoqiang Xie, and Liejia Qian</i>   | e61 |
| Implementation of a phase plate for the generation of homogeneous focal-spot intensity distributions at the high-energy short-pulse laser facility PHELIX  | <i>V. Bagnoud, J. Hornung,<br/>M. Afshari, U. Eisenbarth,<br/>C. Brabetz, Z. Major,<br/>and B. Zielbauer</i>  | e62 |
| The path to electrical energy using laser fusion   | <i>Stephen E. Bodner</i>  | e63 |
| Sub-40-fs high-power Yb:CALYO laser pumped by single-mode fiber laser  | <i>Wenlong Tian, Geyang Wang,<br/>Dacheng Zhang, Jiangfeng Zhu,<br/>Zhaohua Wang, Xiaodong Xu,<br/>Jun Xu, and Zhiyi Wei</i>  | e64 |

(Contents continued)

|  |   |     |
|--|---|-----|
| Generation of 100 nJ pulse, 1 W average power at 2 $\mu\text{m}$ from an intermode beating mode-locked all-fiber laser | <i>Jiaji Zhang, Duanduan Wu, Ruwei Zhao, Rongping Wang, and Shixun Dai</i>                    | e65 |
| Detection of laser-induced optical defects based on image segmentation   | <i>Xinkun Chu, Hao Zhang, Zhiyu Tian, Qing Zhang, Fang Wang, Jing Chen, and Yuanchao Geng</i> | e66 |
| Highly efficient continuous-wave mid-infrared generation based on intracavity difference frequency mixing              | <i>Cheng Xi, Peng Wang, Xiao Li, and Zejin Liu</i>  | e67 |

The color images are shown online.