

# PHOTONICS Research

Volume 4  
Number 6  
December 2016

Design of a barcode-like waveguide nanostructure for efficient chip–fiber coupling	<i>Xiang Wen, Ke Xu, and Qinghai Song</i>	209
Thermal and luminescent properties of 2 $\mu\text{m}$ emission in thulium-sensitized holmium-doped silicate-germanate glass	<i>Rong Chen, Ying Tian, Bingpeng Li, Xufeng Jing, Junjie Zhang, Shiqing Xu, Hellmut Eckert, and Xianghua Zhang</i>	214
Strip-loaded waveguide-based optical phase shifter for high-efficiency silicon optical modulators	<i>Yuriko Maegami, Guangwei Cong, Morifumi Ohno, Makoto Okano, and Koji Yamada</i>	222
Theory of high-density low-cross-talk waveguide superlattices	<i>Nan Yang, Huashan Yang, Hengrun Hu, Rui Zhu, Shining Chen, Hongguo Zhang, and Wei Jiang</i>	233
Fast reconstructed and high-quality ghost imaging with fast Walsh–Hadamard transform	<i>Le Wang and Shengmei Zhao</i>	240
All-optical two-channel polarization-multiplexing format conversion from QPSK to BPSK signals in a silicon waveguide	<i>Xianglian Feng, Zhihang Wu, Xiaoyan Wang, Sailing He, and Shiming Gao</i>	245
Investigation on performance of special-shaped 8-quadrature amplitude modulation constellations applied in visible light communication	<i>Jiaqi Zhao, Chaoyi Qin, Mengjie Zhang, and Nan Chi</i>	249
Hybrid silicon slotted photonic crystal waveguides: how does third order nonlinear performance scale with slow light?	<i>Junfei Xia, Samuel Serna, Weiwei Zhang, Laurent Vivien, and Éric Cassan</i>	257

(Contents continued)

Ultrasensitive biosensors based on long-range surface plasmon polariton and dielectric waveguide modes	<i>Leiming Wu, Jun Guo, Hailin Xu, Xiaoyu Dai, and Yuanjiang Xiang</i>	262
High-peak-power passively Q-switched Nd:YAG/Cr <sup>4+</sup> :YAG composite laser with multiple-beam output	<i>T. Dascalu, G. Croitoru, O. Grigore, and N. Pavel</i>	267
Low cross-talk, deep subwavelength plasmonic metal/insulator/metal waveguide intersections with broadband tunability	<i>Tae-Woo Lee, Da Eun Lee, Young Jin Lee, and Soon-Hong Kwon</i>	272
Power-scaled dissipative soliton using double-cladding-pumped Yb-doped all-fiber amplifier	<i>Mohamed A. Abdelalim, Hussein E. Kotb, Hanan Anis, and Serguei Tchouragoulov</i>	277
Scalar-matrix-structured ghost imaging	<i>Chao Yang, Chenglong Wang, Jian Guan, Chi Zhang, Shuxu Guo, Wenlin Gong, and Fengli Gao</i>	281
Ultrafast nonlinear absorption and nonlinear refraction in few-layer oxidized black phosphorus	<i>Shunbin Lu, Yanqi Ge, Zhengbo Sun, Zongyu Huang, Rui Cao, Chujun Zhao, Shuangchun Wen, Dianyuan Fan, Jianqing Li, and Han Zhang</i>	286
Understanding localized surface plasmon resonance with propagative surface plasmon polaritons in optical nanogap antennas	<i>Hongwei Jia, Fan Yang, Ying Zhong, and Haitao Liu</i>	293
Detection and upconversion of three-dimensional MMW/THz images to the visible	<i>Avihai Aharon (Akram), Daniel Rozban, Avi Klein, Amir Abramovich, Yitzhak Yitzhaky, and Natan S. Kopeika</i>	306
Midinfrared optical frequency comb based on difference frequency generation using high repetition rate Er-doped fiber laser with single wall carbon nanotube film	<i>M. Tsuzuki, L. Jin, M. Yamanaka, V. Sonnenchein, H. Tomita, A. Sato, T. Ohara, Y. Sakakibara, E. Omoda, H. Kataura, T. Iguchi, and N. Nishizawa</i>	313
Noise-like pulse generation from a thulium-doped fiber laser using nonlinear polarization rotation with different net anomalous dispersion	<i>Shuo Liu, Fengping Yan, Yang Li, Luna Zhang, Zhuoya Bai, Hong Zhou, and Yafei Hou</i>	318

Fiber loop ring-down cavity integrated U-bent single-mode-fiber for magnetic field sensing	<i>Yaofei Chen, Tiegen Liu, Qun Han, Wenchuan Yan, and Lin Yu</i>	322
Self-starting passively mode-locked all fiber laser based on carbon nanotubes with radially polarized emission	<i>Yong Zhou, Jian Lin, Xiaoqiang Zhang, Lixin Xu, Chun Gu, Biao Sun, Anting Wang, and Qiwen Zhan</i>	327