

PHOTONICS Research

Volume 5
Number 2
April 2017

Light-emitting diode technology and applications: introduction	<i>Michael Krames and Nicolas Grandjean</i>	LED1
Toward commercial realization of quantum dot based white light-emitting diodes for general illumination	<i>Ken T. Shimizu, Marcel Böhmer, Daniel Estrada, Sumit Gangwal, Stefan Grabowski, Helmut Bechtel, Edward Kang, Kenneth J. Vampola, Danielle Chamberlin, Oleg B. Shchekin, and Jyoti Bhardwaj</i>	A1
Carrier localization in InGaN by composition fluctuations: implication to the “green gap”	<i>Sergey Yu. Karpov</i>	A7
Exploring the bounds of narrow-band quantum dot downconverted LEDs	<i>Benjamin D. Mangum, Timo S. Landes, Brian R. Theobald, and Juanita N. Kurtin</i>	A13
Emissive displays with transfer-printed assemblies of $8\ \mu\text{m} \times 15\ \mu\text{m}$ inorganic light-emitting diodes	<i>Christopher A. Bower, Matthew A. Meitl, Brook Raymond, Erich Radauscher, Ronald Cok, Salvatore Bonafede, David Gomez, Tanya Moore, Carl Prevatte, Brent Fisher, Robert Rotzoll, George A. Melnik, Alin Fecioru, and António José Trindade</i>	A23

(Contents continued)

InAlGaN superluminescent diodes fabricated on patterned substrates: an alternative semiconductor broadband emitter	<i>Anna Kafar, Szymon Stanczyk, Marcin Sarzynski, Szymon Grzanka, Jakub Goss, Irina Makarowa, Anna Nowakowska-Siwinska, Tadek Suski, and Piotr Perlin</i>	A30
Towards 10 Gb/s orthogonal frequency division multiplexing-based visible light communication using a GaN violet micro-LED	<i>Mohamed Sufyan Islim, Ricardo X. Ferreira, Xiangyu He, Enyuan Xie, Stefan Videv, Shaun Viola, Scott Watson, Nikolaos Bamiedakis, Richard V. Penty, Ian H. White, Anthony E. Kelly, Erdan Gu, Harald Haas, and Martin D. Dawson</i>	A35
Recombination mechanisms and thermal droop in AlGaIn-based UV-B LEDs	<i>Carlo De Santi, Matteo Meneghini, Desiree Monti, Johannes Glaab, Martin Guttmann, Jens Rass, Sven Einfeldt, Frank Mehnke, Johannes Enslin, Tim Wernicke, Michael Kneissl, Gaudenzio Meneghesso, and Enrico Zanoni</i>	A44
General coupled-mode analysis of a geometrically symmetric waveguide array with nonuniform gain and loss	<i>Zhen-Zhen Liu, Qiang Zhang, Yuntian Chen, and Jun-Jun Xiao</i>	57
Polarization evolution of vector beams generated by q -plates	<i>Weixing Shu, Xiaohui Ling, Xiquan Fu, Yachao Liu, Yougang Ke, and Hailu Luo</i>	64
Demonstration of an ultra-low-threshold phonon laser with coupled microtoroid resonators in vacuum	<i>Guanzhong Wang, Mingming Zhao, Yingchun Qin, Zhangqi Yin, Xiaoshun Jiang, and Min Xiao</i>	73
Experimental demonstration of transverse mode instability enhancement by a counter-pumped scheme in a 2 kW all-fiberized laser	<i>Zebiao Li, Zhihua Huang, Xiaoyu Xiang, Xiaobao Liang, Honghuan Lin, Shanhui Xu, Zhongmin Yang, Jianjun Wang, and Feng Jing</i>	77

(Contents continued)

High-average-power, high-repetition-rate tunable terahertz difference frequency generation with GaSe crystal pumped by 2 μm dual-wavelength intracavity KTP optical parametric oscillator	<i>Dexian Yan, Yuye Wang, Degang Xu, Pengxiang Liu, Chao Yan, Jia Shi, Hongxiang Liu, Yixin He, Longhuang Tang, Jianchen Feng, Jianqin Guo, Wei Shi, Kai Zhong, Yuen H. Tsang, and Jianquan Yao</i>	82
Analytical formulation for the bend loss in single-ring hollow-core photonic crystal fibers	<i>Michael H. Frosz, Paul Roth, Mehmet C. Günendi, and Philip St.J. Russell</i>	88
Observation of tiny polarization rotation rate in total internal reflection via weak measurements	<i>Chengquan Mi, Shizhen Chen, Xinxing Zhou, Kai Tian, Hailu Luo, and Shuangchun Wen</i>	92
Hybrid optical wavelength demultiplexer and power combiner for TWDM PON	<i>Chunsheng Li, Xinyou Qiu, and Xun Li</i>	97
High sensitivity <i>D</i> -shaped hole fiber temperature sensor based on surface plasmon resonance with liquid filling	<i>Sijun Weng, Li Pei, Jianshuai Wang, Tigang Ning, and Jing Li</i>	103
Compact, submilliwatt, 2×2 silicon thermo-optic switch based on photonic crystal nanobeam cavities	<i>Huanying Zhou, Ciyuan Qiu, Xinhong Jiang, Qingming Zhu, Yu He, Yong Zhang, Yikai Su, and Richard Soref</i>	108
Gap induced mode evolution under the asymmetric structure in a plasmonic resonator system	<i>Yong-Pan Gao, Tie-Jun Wang, Cong Cao, and Chuan Wang</i>	113
Experimental observation of Fano-like resonance in a whispering-gallery-mode microresonator in aqueous environment	<i>Yan-Lei Shang, Ming-Yong Ye, and Xiu-Min Lin</i>	119
Electrical nonlinearity in silicon modulators based on reversed PN junctions	<i>Sheng Yu and Tao Chu</i>	124
Liquid modified photonic crystal fiber for simultaneous temperature and strain measurement	<i>Chupao Lin, Ying Wang, Yijian Huang, Changrui Liao, Zhiyong Bai, Maoxiang Hou, Zhengyong Li, and Yiping Wang</i>	129
Single-drive high-speed lumped depletion-type modulators toward 10 fJ/bit energy consumption	<i>Xinbai Li, Fenghe Yang, Fang Zhong, Qingzhong Deng, Jurgen Michel, and Zhiping Zhou</i>	134