

# PHOTONICS Research

Volume 6  
Number 6  
June 2018

- |   |   |     |
|---|---|-----|
| Sensitivity-enhanced surface plasmon resonance sensor utilizing a tungsten disulfide (WS <sub>2</sub> ) nanosheets overlayer    | <i>Hao Wang, Hui Zhang, Jiangli Dong, Shiqi Hu, Wenguo Zhu, Wentao Qiu, Huihui Lu, Jianhui Yu, Heyuan Guan, Shecheng Gao, Zhaohui Li, Weiping Liu, Miao He, Jun Zhang, Zhe Chen, and Yunhan Luo</i> | 485 |
| Tailoring active color rendering and multiband photodetection in a vanadium-dioxide-based metamaterial absorber                 | <i>Shichao Song, Xiaoliang Ma, Mingbo Pu, Xiong Li, Yinghui Guo, Ping Gao, and Xiangang Luo</i>   | 492 |
| Broadband rhenium disulfide optical modulator for solid-state lasers  | <i>Xiancui Su, Baitao Zhang, Yiran Wang, Guanbai He, Guoru Li, Na Lin, Kejian Yang, Jingliang He, and Shande Liu</i>  | 498 |
| Chip-scale broadband spectroscopic chemical sensing using an integrated supercontinuum source in a chalcogenide glass waveguide | <i>Qingyang Du, Zhengqian Luo, Huikai Zhong, Yifei Zhang, Yizhong Huang, Tuanjie Du, Wei Zhang, Tian Gu, and Juejun Hu</i>  | 506 |
| Photonic spin Hall effect on the surface of anisotropic two-dimensional atomic crystals   | <i>Wenshuai Zhang, Weijie Wu, Shizhen Chen, Jin Zhang, Xiaohui Ling, Weixing Shu, Hailu Luo, and Shuangchun Wen</i>   | 511 |

(Contents continued)

High-efficiency all-dielectric transmission metasurface for linearly polarized light in the visible region	<i>Liu Yang, Dong Wu, Yumin Liu, Chang Liu, Zenghui Xu, Hui Li, Zhongyuan Yu, Li Yu, and Han Ye</i>	517
Loss-induced control of light propagation direction in passive linear coupled optical cavities	<i>Carlo Edoardo Campanella, Martino De Carlo, Antonello Cuccovillo, and Vittorio M. N. Passaro</i>	525
Wide-field <i>in situ</i> multiplexed Raman imaging with superresolution	<i>Houkai Chen, Xiaojing Wu, Yuquan Zhang, Yong Yang, Changjun Min, Siwei Zhu, Xiaocong Yuan, Qiaoliang Bao, and Jing Bu</i>	530
High energy soliton pulse generation by a magnetron-sputtering-deposition-grown MoTe <sub>2</sub> saturable absorber	<i>Jintao Wang, Zike Jiang, Hao Chen, Jiarong Li, Jinde Yin, Jinzhang Wang, Tingchao He, Peiguang Yan, and Shuangchen Ruan</i>	535
Chirp control of femtosecond-pulse scattering from drag-reducing surface-relief gratings	<i>Juliane Eggert, Bjoern Bourdon, Stefan Nolte, Joerg Rischmueller, and Mirco Imlau</i>	542
Passively Q-switched erbium doped fiber laser using a gold nanostars based saturable absorber	<i>Zhe Kang, Mingyi Liu, Zhenwei Li, Siqing Li, Zhixu Jia, Chengzhi Liu, Weiping Qin, and Guanshi Qin</i>	549
Ultrafast optical nonlinearity of blue-emitting perovskite nanocrystals	<i>Junzi Li, Can Ren, Xin Qiu, Xiaodong Lin, Rui Chen, Cheng Yin, and Tingchao He</i>	554
Numerical modeling of a linear photonic system for accurate and efficient time-domain simulations	<i>Yinghao Ye, Domenico Spina, Yufei Xing, Wim Bogaerts, and Tom Dhaene</i>	560
Ultra-compact broadband polarization beam splitter with strong expansibility	<i>Jie Huang, Junbo Yang, Dingbo Chen, Xin He, Yunxin Han, Jingjing Zhang, and Zhaojian Zhang</i>	574
Extraordinary characteristics for one-dimensional parity-time-symmetric periodic ring optical waveguide networks	<i>Yan Zhi, Xiangbo Yang, Jiaye Wu, Shiping Du, Peichao Cao, Dongmei Deng, and Chengyi Timon Liu</i>	579

(Contents continued)

Generation rate scaling: the quality factor optimization of microring resonators for photon-pair sources	<i>Kai Guo, Xiaodong Shi, Xiaolin Wang, Junbo Yang, Yunhong Ding, Haiyan Ou, and Yijun Zhao</i>	587
Enhancement of stimulated emission by a metallic optofluidic resonator	<i>Bei Jiang, Hailang Dai, and Xianfeng Chen</i>	597
Ultraflat, broadband, and highly coherent supercontinuum generation in all-solid microstructured optical fibers with all-normal dispersion	<i>Chunlei Huang, Meisong Liao, Wanjun Bi, Xia Li, Lili Hu, Long Zhang, Longfei Wang, Guanshi Qin, Tianfeng Xue, Danping Chen, and Weiqing Gao</i>	601
Watt-level and spectrally flat mid-infrared supercontinuum in fluorindate fibers	<i>Francis Théberge, Nancy Bérubé, Samuel Poulain, Solenn Cozic, Louis-Rafaël Robichaud, Martin Bernier, and Réal Vallée</i>	609
Active/passive Q-switching operation of 2 $\mu\text{m}$ Tm:Ho:YAP laser with an acousto-optical Q-switch/MoS <sub>2</sub> saturable absorber mirror	<i>Linjun Li, Xining Yang, Long Zhou, Wenqiang Xie, Yunlong Wang, Yingjie Shen, Yuqiang Yang, Wenlong Yang, Wei Wang, Zhiwei Lv, Xiaoming Duan, and Minghua Chen</i>	614
Backcoupling manipulation in silicon ring resonators	<i>Ang Li and Wim Bogaerts</i>	620
Electric field tunable strong transverse light current from nanoparticles embedded in liquid crystal	<i>Jinhua Li and Xiangdong Zhang</i>	630
Optical vortex copier and regenerator in the Fourier domain	<i>Xiaodong Qiu, Fangshu Li, Haigang Liu, Xianfeng Chen, and Lixiang Chen</i>	641
Robust cavity soliton formation with hybrid dispersion	<i>Jing Wang, Yuhao Guo, Henan Liu, Lionel C. Kimerling, Jurgen Michel, Anuradha M. Agarwal, Guifang Li, and Lin Zhang</i>	647

(Contents continued)

InAlGaN superluminescent diodes fabricated on patterned substrates: an alternative semiconductor broadband emitter: publisher's note	<i>Anna Kafar, Szymon Stanczyk, Marcin Sarzynski, Szymon Grzanka, Jakub Goss, Irina Makarowa, Anna Nowakowska-Siwinska, Tadek Suski, and Piotr Perlin</i>	652
Spatially resolved measurement of plasmon dispersion using Fourier-plane spectral imaging	<i>Amir Ohad, Katherine Akulov, Eran Granot, Uri Rossman, Fernando Patolsky, and Tal Schwartz</i>	653

The color images are shown online.