

PHOTONICS Research

Volume 7
Number 8
August 2019

Transmission of photonic polarization states through 55-m water: towards air-to-sea quantum communication	<i>Cheng-Qiu Hu, Zeng-Quan Yan, Jun Gao, Zhi-Qiang Jiao, Zhan-Ming Li, Wei-Guan Shen, Yuan Chen, Ruo-Jing Ren, Lu-Feng Qiao, Ai-Lin Yang, Hao Tang, and Xian-Min Jin</i>	A40
Magnesium ion-implantation-based gallium nitride p-i-n photodiode for visible-blind ultraviolet detection	<i>Weizong Xu, Yating Shi, Fangfang Ren, Dong Zhou, Linlin Su, Qing Liu, Liang Cheng, Jiandong Ye, Dunjun Chen, Rong Zhang, Youdou Zheng, and Hai Lu</i>	B48
Review of encapsulation materials for AlGaIn-based deep-ultraviolet light-emitting diodes	<i>Yosuke Nagasawa and Akira Hirano</i>	B55
Nanophotonic media for artificial neural inference [Cover Paper]	<i>Erfan Khoram, Ang Chen, Dianjing Liu, Lei Ying, Qiqi Wang, Ming Yuan, and Zongfu Yu</i>	823
Ge-on-Si modulators operating at mid-infrared wavelengths up to 8 μm	<i>Tiantian Li, Milos Nedeljkovic, Nannicha Hattasan, Wei Cao, Zhibo Qu, Callum G. Littlejohns, Jordi Soler Penades, Lorenzo Mastronardi, Vinita Mittal, Daniel Benedikovic, David J. Thomson, Frederic Y. Gardes, Hequan Wu, Zhiping Zhou, and Goran Z. Mashanovich</i>	828

(Contents continued)

Radiation-pressure-induced photoluminescence enhancement of all-inorganic perovskite CsPbBr ₃ quantum dots	<i>Ying Zhang, Haiou Zhu, Taiwu Huang, Zongpeng Song, and Shuangchen Ruan</i>	837
Design of a low-filling-factor and polarization-sensitive superconducting nanowire single photon detector with high detection efficiency	<i>Dezhi Li and Rongzhen Jiao</i>	847
Generation of wavelength-tunable and coherent dual-wavelength solitons in the C + L band by controlling the intracavity loss	<i>Tianyu Zhu, Zhaokun Wang, D. N. Wang, Fan Yang, and Liujiang Li</i>	853
Exceptional points of any order in a single, lossy waveguide beam splitter by photon-number-resolved detection [Editor's Pick]	<i>Mario A. Quiroz-Juárez, Armando Perez-Leija, Konrad Tschernig, Blas M. Rodríguez-Lara, Omar S. Magaña-Loaiza, Kurt Busch, Yogesh N. Joglekar, and Roberto de J. León-Montiel</i>	862
Experimental demonstration of an electrically tunable broadband coherent perfect absorber based on a graphene–electrolyte–graphene sandwich structure	<i>Jin Zhang, Xingzhan Wei, Malin Premaratne, and Weiren Zhu</i>	868
Design and experimental verification of a monolithic complete-light modulator based on birefringent materials	<i>Yingfei Pang, Axiu Cao, Jiazhou Wang, Hui Pang, Wei Yan, Xiangdong Wu, Lifang Shi, and Qiling Deng</i>	875
Adaptive cavity-enhanced dual-comb spectroscopy	<i>Weipeng Zhang, Xinyi Chen, Xuejian Wu, Yan Li, and Haoyun Wei</i>	883
Optimal illumination scheme for isotropic quantitative differential phase contrast microscopy	<i>Yao Fan, Jiasong Sun, Qian Chen, Xiangpeng Pan, Lei Tian, and Chao Zuo</i>	890
2D-material-integrated whispering-gallery-mode microcavity	<i>Lu Wang, Xuefei Zhou, Shuo Yang, Gaoshan Huang, and Yongfeng Mei</i>	905
Mode demultiplexing hybrids for mode-division multiplexing coherent receivers	<i>He Wen, Huiyuan Liu, Yuanhang Zhang, Peng Zhang, and Guifang Li</i>	917

(Contents continued)

Low threshold anti-Stokes Raman laser on-chip	<i>Hyungwoo Choi, Dongyu Chen, Fan Du, Rene Zeto, and Andrea Armani</i>	926
One-order-higher Cr ⁴⁺ conversion efficiency in Cr ⁴⁺ :YAG transparent ceramics for a high-frequency passively Q-switched laser	<i>Yingshuang Shan, Le Zhang, Tianyuan Zhou, Cen Shao, Lei Zhang, Yuelong Ma, Qing Yao, Zhigang Jiang, Farida A. Selim, and Hao Chen</i>	933
Dark mode plasmonic optical microcavity biochemical sensor	<i>Cheng Li, Lei Chen, Euan McLeod, and Judith Su</i>	939

The color images are shown online.